

L Number	Hits	Search Text	DB	Time stamp
-	1	dispenser and regulator and (valve same piston same spring same lever same ball)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 10:37
-	48	dispenser and regulator and (valve and piston and spring and lever and ball)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 14:46
-	352	dispenser same regulator same valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:13
-	70	oxygen near dispenser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:14
-	66	(oxygen near dispenser) not (dispenser same regulator same valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:19
-	3	("3976067").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:20
-	485	128/200.24.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:23
-	4	((("4582054") or ("5855307") or ("5779122") or ("4509667")).PN.	USPAT	2002/01/23 11:40
-	939	dispenser and (pressure near regulator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:44
-	849	(dispenser and (pressure near regulator)) and valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:45
-	254	((dispenser and (pressure near regulator)) and valve) and piston and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 11:46
-	210	((((dispenser and (pressure near regulator)) and valve) and piston and spring) not (dispenser same regulator same valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/01/23 12:39
-	1	("6070577").PN.	USPAT	2002/01/23 12:40